

SECTION 1) CHEMICAL PRODUCT AND MANUFACTURER'S IDENTIFICATION

Product ID:	90-13488				
Product Name:	UPC 500 Cured Foam				
Revision Date:	Jun 25, 2020	Date Printed:	Jun 25, 2020		
Version:	1.0	Supersedes Date:	N.A.		
Manufacturer's Name:	Universal Polymers Corporation				
Address:	8550 W. Desert Inn Rd., Suite 102-380, Las Vegas, NV, US, 89117				
Emergency Phone:	Chemtrec: 800-424-9300 (account:CCN1217) OR International:703-527-3887 (account:CCN1217)				
Information Phone Number: (682) 503-8069					
Fax:	(682) 334-7067				

Product/Recommended Uses: For Further Information, Refer to the Product Technical Data Sheet.

SECTION 2) HAZARDS IDENTIFICATION

Classification of the substance or mixture

Not a hazardous substance or mixture according to United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200).

SECTION 3) COMPOSITION/INFORMATION ON INGREDIENTS

CAS	Chemical Name	% By Weight
NOT LISTED	INERT POLYURETHANE POLYMER	90% - 100%

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality.

SECTION 4) FIRST-AID MEASURES

Inhalation

Remove the person from the contaminated area to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Contact a physician if symptoms develop.

Skin Contact

Remove contaminated clothing and shoes. Wash affected areas with soap and water.

Eye Contact

In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Ingestion

Not an expected route of entry in an industrial setting. Though material is not toxic, large pieces can present a choking hazard.

Most Important Symptoms and Effects, Both Acute and Delayed

No data available.

Indication of Any Immediate Medical Attention and Special Treatment Needed

SECTION 5) FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide, water fog, dry chemical or chemical foam.

Unsuitable Extinguishing Media

No data available.

Specific Hazards in Case of Fire

Polyurethane foams, in common with other organic materials such as paper, wood and cotton can present unreasonable fire risks when exposed to ignition sources. Once ignited, fires can burn rapidly and product intense heat and dense smoke. Install foam only after all welding, cutting or other hot work has been completed. Do no weld or perform other hot work on foam filled construction.

Fire-fighting Procedures

Firefighters should wear self-contained breathing apparatus and full protective gear.

Special Protective Actions

Care should always be exercised in dust/mist areas.

Wear protective pressure self-contained breathing apparatus (SCBA)and full turnout gear.

SECTION 6) ACCIDENTAL RELEASE MEASURES

Emergency Procedure

Keep unnecessary people away. This is a solid material.

Recommended Equipment

Appropriate dust or face mask to eliminate breathing foam dust particulates.

Personal Precautions

Avoid contact with skin, eyes or clothing.

Environmental Precautions

Prevent material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers.

Methods and Materials for Containment and Cleaning up

Use dry clean-up methods that do not disperse dust into the air or entry into surface water.

SECTION 7) HANDLING AND STORAGE

General

Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or dust. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. Wash thoroughly after engaging in any cutting, grinding or sanding work.

Ventilation Requirements

Use sufficient ventilation to maintain the dust.

Storage Room Requirements

Store in cool, dry, well-ventilated areas away from heat, direct sunlight, strong oxidizers and any incompatibilities.

SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection

When cutting, sanding or grinding, wear safety glasses with side shields or splash goggles.

Skin Protection

Wear protective clothing when sanding, grinding or cutting this product to prevent skin contact.

Respiratory Protection

Respiratory protection is not needed when material has thoroughly cured and is left in place, undisturbed. Respirator use may be required when performing operations such as cutting, grinding, sanding, etc. The level of respiratory protection need should be based on the evaluation of chemical exposures by a health or safety professional. A NIOSH/MSHA approved dust mask will suffice for most circumstances involving cutting, grinding or sanding.

Appropriate Engineering Controls

When cutting, sanding or grinding, use with adequate general and local exhaust ventilation. When cutting, sanding or grinding outdoors, stay well away from building air intakes or close and seal the intakes to prevent product from entering building.

Chemical	OSHA TWA	OSHA TWA	OSHA STEL	OSHA STEL	OSHA Tables	OSHA	OSHA Skin designation	NIOSH TWA
Name	(ppm)	(mg/m3)	(ppm)	(mg/m3)	(Z1, Z2, Z3)	Carcinogen		(ppm)
No applicable chemical	-	-	-	-	-	-	-	-

Chemical	NIOSH TWA	NIOSH STEL	NIOSH STEL	NIOSH	ACGIH TWA	ACGIH TWA	ACGIH STEL	ACGIH STEL
Name	(mg/m3)	(ppm)	(mg/m3)	Carcinogen	(ppm)	(mg/m3)	(ppm)	(mg/m3)
No applicable chemical	-	-	-	-	-	-	-	-

SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Dam	- 14 -	
Den		0.45 - 0.55 PCF
Spee	cific Gravity	N.A.
VOC	Regulatory	0.00 lb/gal
VOC	CPart A & B Combined	N.A.
Appe	earance	Solid
Odo	r Threshold	N.A.
Odo	r Description	None
pН		N.A.
Wate	er Solubility	N/A
Flam	nmability	N/A
Flas	h Point Symbol	N.A.
Flas	h Point	N.A.
Visc	osity	N.A.
Low	er Explosion Level	N.A.
Upp	er Explosion Level	N.A.
Vap	or Pressure	N.A.
Vap	or Density	N.A.
Free	ezing Point	N.A.
Melt	ing Point	N.A.
Low	Boiling Point	N.A.
High	Boiling Point	N.A.
Auto	Ignition Temp	N.A.
Dec	omposition Pt	N.A.
Eva	poration Rate	N.A.
Coe	fficient Water/Oil	N.A.

SECTION 10) STABILITY AND REACTIVITY

Stability

Material is stable at standard temperature and pressure.

Conditions to Avoid

Extreme temperatures, open flames.

Hazardous Reactions/Polymerization

Will not occur.

Incompatible Materials

None known.

Hazardous Decomposition Products

Decomposition not expected to occur if handled and stored properly. In fire conditions carbon monoxide, carbon dioxide, hydrogen halides, phosphorous oxides, possible traces of hydrogen cyanide and nitrogen oxides may be generated.

SECTION 11) TOXICOLOGICAL INFORMATION

Likely Route of Exposure

Inhalation, ingestion, skin absorption

Skin Corrosion/Irritation

No data available.

Serious Eye Damage/Irritation

No data available.

Respiratory/Skin Sensitization

No data available.

Carcinogenicity

No data available.

Germ Cell Mutagenicity

No data available.

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Repeated Exposure

No data available.

Aspiration Hazard

No data available.

Acute Toxicity

No data available.

Likely Routes of Exposure

Inhalation, Ingestion, Skin contact, Eye contact

SECTION 12) ECOLOGICAL INFORMATION

Toxicity

No data available.

Persistence and Degradability

No data available.

Bioaccumulative Potential

No data available.

Mobility in Soil

No data available.

Other Adverse Effects

No data available.

Bio-accumulative Potential

No data available.

SECTION 13) DISPOSAL CONSIDERATIONS

Waste Disposal

Dispose in accordance with applicable federal, state and local government regulations.

SECTION 14) TRANSPORT INFORMATION

U.S. DOT Information

Not regulated.

IMDG Information

Not regulated.

IATA Information

Not regulated.

SECTION 15) REGULATORY INFORMATION

CAS	Chemical Name	% By Weight	Regulation List
No applicable CAS	No applicable chemical	-	-

SECTION 16) OTHER INFORMATION

OTHER INFORMATION

Note: As per GHS, category 1 is the greatest level of hazard within each class.

GLOSSARY

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; CA Prop65- California Proposition 65; Canadian TDG- Canadian Transportation of Dangerous Goods; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center (US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)- HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL- Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self-Contained Breathing Apparatus; STEL- Short Term Exposure Limit; TCEQ- Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA- Time Weighted Value; US DOT- US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

ACGIH - American Conference of Governmental Industrial Hygienists; CAS - Chemical Abstracts Service ; Chemtrec - Chemical Transportation Emergency Center; DSL - Domestic Substances List; ESL- Effects screening levels; GHS - "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations; HMIS - Hazardous Material Information Service; IATA - Dangerous Goods Regulations (DGR) for the air transport (IATA); IMDG - International Maritime Dangerous Goods Code; LC - Lethal Concentration; LD - Lethal Dose; NFPA - National Fire Protection Association; OEL - Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL - Permissible Exposure Limit; SARA 313 - Superfund Amendments and Reauthorization Act, Section 313; SCBA - Self Contained Breathing Apparatus; ppm - parts per million; STEL - Short-term exposure limit; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act Public Law 94-469; TWA - Time-weighted average; US DOT- US Department of Transportation.

DISCLAIMER

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.